

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.

PBA-C-06

phyBOARD-Mira-i.MX 6

Copyright 2015 PHYTEC TECHNOLOGIE HOLDING AG

INFORMATION IN THIS DOCUMENT IS PROVIDED SOLELY FOR USE IN CONJUNCTION WITH THE PHYTEC PRODUCT DESCRIBED HEREIN. NO INTELLECTUAL PROPERTY RIGHTS -- EXPRESS OR IMPLIED -- ARE GRANTED THROUGH THIS DOCUMENT. LIKEWISE, PHYTEC MAKES NO EXPRESS OR IMPLIED WARRANTIES OF ANY KIND, WHETHER AS TO MANUFACTURABILITY; MERCHANTABILITY; FITNESS FOR A PARTICULAR PURPOSE; OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT. SPECIFICATIONS HEREIN ARE SUBJECT TO CHANGE AT ANY TIME WITHOUT NOTICE.

PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-C-06 phyBOARD-Mira-i.MX 6		Department : F&E Author: R.Stidronski	
26.05.2015	PCB-No.: 1434.2	Revision : 001	Sheet 1 of 20

Project Overview

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.

Page	Schematic
1	Project
2	Overview
3	phyCORE-i.MX 6 Connector
4	Power
5	Button, Switch, LED
6	RS232, RS485
7	Detail RS232
8	Detail RS485
9	Ethernet
10	USB
11	Detail USB
12	Micro SD-Card, RTC
13	Mini PCI express
14	CAN
15	Camera
16	HDMI
17	LVDS, Touch
18	A/V Connector
19	Expansion Connector
20	Blocking



Operating Ratings
Operating Voltage: 5V +/- 5%
Size: 100mm x 72mm x 40mm

Onboard used I2C addresses with I2C1:
- 0x68 RTC
- 0x62 LED Dimmer
- 0x44 Touch



Please consider expansion boards
for additional I2C devices:
- A/V Connector
- Expansion Connector
- Mini PCIe Connector
- Camera Interface

	EUROPE	NORTH AMERIKA
Address:	PHYTEC Messtechnik GmbH Robert-Koch-Str. 39 D-55129 Mainz GERMANY	PHYTEC America LLC 203 Parfitt Way SW, Suite G100 Bainbridge Island, WA 98110 USA
Ordering Information:	+49 (6131) 9221-32 sales@phytec.de	1(800) 278-9913 sales@phytec.com
Technical Support:	+49 (6131) 9221-31 support@phytec.de	1(800) 278-9913 support@phytec.com
Fax:	+49 (6131) 9221-33	1(206) 780-9135
Web Site:	http://www.phytec.de http://www.phytec.eu	http://www.phytec.com

phyCORE-i.MX 6 Connector



Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.




PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-C-06 phyBOARD-Mira-i.MX 6		Department: F&E Author: R.Stidronski	
26.05.2015	PCB-No.: 1434.2	Revision: 001	Sheet 3 of 20

Power

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.

Backup
Goldcap







Voltage supervisor

Enable board voltages

3V3 supply selector

Drill Hole placement




PHYTEC


PHYTEC Messtechnik GmbH
Robert-Koch-Strasse 39
D-55129 Mainz

Project: PBA-C-06 phyBOARD-Mira-i.MX 6		Department: F&E Author: R.Stidronski	
26.05.2015	PCB-No.: 1434.2	Revision: 001	Sheet 4 of 20


Reset Button



Boot Switch



Multicolor LED




Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.



PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-C-06 phyBOARD-Mira-i.MX 6		Department : F&E Author: R.Stidronski	
26.05.2015	PCB-No.: 1434.2	Revision : 001	Sheet 5 of 20

RS232 / 485

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.



place as close together as possible




PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-C-06 phyBOARD-Mira-i.MX 6		Department : F&E Author: R.Stidronski	
26.05.2015	PCB-No.: 1434.2	Revision : 001	Sheet 6 of 20

M-R-RS232_2

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.


RS232 Transceiver



PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Block Name: M-R-RS232_2	Block Prefix: AR	Department : F&E Author: T. Jacobus	
16.04.2015	Makro: M-R-RS232_2.A0	Revision : 001	Sheet 7 of 20

M-R-RS485_1




Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.



PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Block Name: M-R-RS485_1	Block Prefix: AE	Department : F&E Author: T. Jacobus	
16.04.2015	Makro: M-R-RS485_1.A0	Revision : 001	Sheet 8 of 20

Ethernet 0

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.




For 10/100Mbit:
Industrial (-40 to +85 C): VE309
Commercial (0 to +70 C): VE363
Set J27 to 1+2 if 10/100Mbit jack is used

For 10/100/1000Mbit:
Commercial (0 to +70 C): VE412
Set J27 to 2+3 if Gbit jack is used


PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-C-06 phyBOARD-Mira-i.MX 6		Department : F&E Author: R.Stidronski	
26.05.2015	PCB-No.: 1434.2	Revision : 001	Sheet 9 of 20

USB

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.




Jumper for USB1 OTG on micro USB or expansion connector



USB1 OTG on Micro-USB connector X5: J5+J6=1+2
USB1 OTG on expansion connector X17: J5+J6=2+3

Jumper for USB2 HOST on USB-A or mini PCIe connector



USB2 on USB-A connector X6: J9+J10=1+2
USB2 on mini PCIe connector X7: J9+J10=2+3



PHYTEC

PHYTEC Messtechnik GmbH
Robert-Koch-Strasse 39
D-55129 Mainz

Project:
PBA-C-06 phyBOARD-Mira-i.MX 6

Department : F&E
Author: R.Stidronski

26.05.2015


PCB-No.: 1434.2

Revision : 001

Sheet 10 of 20

M-R-USB-PWR3


Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.




PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Block Name: M-R-USB-PWR3	Block Prefix: AL	Department : F&E Author: T. Jacobus	
16.04.2015	Makro: M-R-USB-PWR3.A0	Revision : 001	Sheet 11 of 20

Micro SD Card

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.




RTC



PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-C-06 phyBOARD-Mira-i.MX 6		Department : F&E Author: R.Stidronski	
26.05.2015	PCB-No.: 1434.2	Revision : 001	Sheet 12 of 20

Mini PCIe

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.



PHYTEC

PHYTEC Messtechnik GmbH
Robert-Koch-Strasse 39
D-55129 Mainz

Project:
PBA-C-06 phyBOARD-Mira-i.MX 6

Department : F&E
Author: R.Stidronski

26.05.2015


PCB-No.: 1434.2

Revision : 001

Sheet 13 of 20

CAN








Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.



PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-C-06 phyBOARD-Mira-i.MX 6		Department : F&E Author: R.Stidronski	
26.05.2015	PCB-No.: 1434.2	Revision : 001	Sheet 14 of 20

Camera - phyCAM-S+


Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.



PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-C-06 phyBOARD-Mira-i.MX 6		Department : F&E Author: R.Stidronski	
26.05.2015	PCB-No.: 1434.2	Revision : 001	Sheet 15 of 20

HDMI

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.




HDMI connector right angled: VE280
HDMI connector right angled with lock: VE354

PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-C-06 phyBOARD-Mira-i.MX 6		Department : F&E Author: R.Stidronski	
26.05.2015	PCB-No.: 1434.2	Revision : 001	Sheet 16 of 20

Audio/Video Connector


Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.



PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-C-06 phyBOARD-Mira-i.MX 6		Department : F&E Author: R.Stidronski	
26.05.2015	PCB-No.: 1434.2	Revision : 001	Sheet 18 of 20

Expansion Connector




Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.



PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-C-06 phyBOARD-Mira-i.MX 6		Department : F&E Author: R.Stidronski	
26.05.2015	PCB-No.: 1434.2	Revision : 001	Sheet 19 of 20

EMC

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.



PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-C-06 phyBOARD-Mira-i.MX 6		Department : F&E Author: R.Stidronski	
26.05.2015	PCB-No.: 1434.2	Revision : 001	Sheet 20 of 20