

PBA-CD-15

phyBOARD Polis i.MX 8M Mini

Copyright 2021 PHYTEC TECHNOLOGIE HOLDING AG

INFORMATION IN THIS DOCUMENT IS PROVIDED SOLELY FOR USE IN CONJUNCTION WITH THE PHYTEC PRODUCT DESCRIBED HEREIN. NO INTELLECTUAL PROPERTY RIGHTS -- EXPRESS OR IMPLIED -- ARE GRANTED THROUGH THIS DOCUMENT. LIKEWISE, PHYTEC MAKES NO EXPRESS OR IMPLIED WARRANTIES OF ANY KIND, WHETHER AS TO MANUFACTURABILITY; MERCHANTABILITY; FITNESS FOR A PARTICULAR PURPOSE; OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT. SPECIFICATIONS HEREIN ARE SUBJECT TO CHANGE AT ANY TIME WITHOUT NOTICE.

PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-CD-15 phyBOARD Polis i.MX8M Mini		Department : F&E Author: T.Jacobus, T. Metz, A. Merrath	
08.07.2021	PCB-No.: 1532.2	Revision : 001	Sheet 1 of 21

Overview

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.

Page	Content
1	Title
2	Overview
3	SOM Connector1
4	SOM Connector2
5	SOM Connector3
6	Power1
7	Power2
8	Switches, Sequencing
9	Bootmode MINI
10	Bootmode NANO
11	Buttons, RGB LED, SD-Card
12	RS232; RS485
13	USB-HUB
14	USB
15	miniPCle Connector, ENET Connector
16	Expansion and Audio/Video-Connector
17	MIPI Camera Connector, Voice Array
18	Debug UART/USB
19	TPM, WLAN
20	CAN
21	Capacitors

I.MX 8M Mini		I.MX 8M Nano
ON: Alternate-BOOT OFF: Default-BOOT	S1-1	ON: BOOT_MODE[2] = 1 OFF: BOOT_MODE[2] = 0
ON: QSPI-BOOT OFF: SD-BOOT	S1-2	ON: BOOT_MODE[1] = 1 OFF: BOOT_MODE[1] = 0
ON: Serial Downloader OFF: Internal Boot	S1-3	ON: BOOT_MODE[0] = 1 OFF: BOOT_MODE[0] = 0
ON: UART1 RS485 OFF: UART1 RS232	S1-4	ON: UART1 RS485 OFF: UART1 RS232
Not Used	S1-5	ON: USB OTG Port OFF: USB HUB
ON: UART4 to X8 OFF: UART4 to FTDI	S1-6	ON: Baseboard Bootmode OFF: SOM Bootmode
RESET	S2	RESET
ON/OFF	S3	ON/OFF

Z1

PHYTEC

Logo

DMC1

DMC

DMC2

DMC

Z2

Fiducial-Round

Z4

Fiducial-Square

Z3

Fiducial-Round


Z5

Fiducial-Square

PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-CD-15 phyBOARD Polis i.MX8M Mini		Department : F&E Author: T.Jacobus, T. Metz, A. Merrath	
08.07.2021	PCB-No.: 1532.2	Revision : 001	Sheet 2 of 21


SOM Connector Page 1

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.




SOM Connector Page 2



Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.



PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-CD-15 phyBOARD Polis i.MX8M Mini		Department : F&E Author: T.Jacobus, T. Metz, A. Merrath	
08.07.2021	PCB-No.: 1532.2	Revision : 001	Sheet 4 of 21




Heatspreader Mounting




PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-CD-15 phyBOARD Polis i.MX8M Mini		Department : F&E Author: T.Jacobus, T. Metz, A. Merrath	
08.07.2021	PCB-No.: 1532.2	Revision : 001	Sheet 5 of 21

Power1


reverse polarity
protection



24V input to 5V




Shield



Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.

GND for Measurement




PHYTEC

PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-CD-15 phyBOARD Polis i.MX8M Mini	Department : F&E Author: T.Jacobus, T. Metz, A. Merrath
08.07.2021	PCB-No.: 1532.2
Revision : 001	Sheet 6 of 21

Power2


3.3V / 6A

Vmin: 3,254V
Vtyp: 3,366V
Vmax:3,481V
Incl.Vfb change: -40 to +85deg
Incl. resistor 1%




Gold CAP Fan

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.



Enable board voltages



PHYTEC

PHYTEC Messtechnik GmbH
Robert-Koch-Strasse 39
D-55129 Mainz

Project:
PBA-CD-15 phyBOARD Polaris i.MX8M Mini

Department : F&E
Author: T.Jacobus, T. Metz, A. Merrath

08.07.2021


PCB-No.: 1532.2

Revision : 001

Sheet 7 of 21

Dip-Switch

X40 not mounted
Pads for factory use only




Jumper Settings:
iMX8M Mini: 1+2
iMX8M Nano: 2+3


I.MX 8M Mini		I.MX 8M Nano
ON: Alternate-BOOT OFF: Default-BOOT	S1-1	ON: BOOT_MODE[2] = 1 OFF: BOOT_MODE[2] = 0
ON: QSPI-BOOT OFF: SD-BOOT	S1-2	ON: BOOT_MODE[1] = 1 OFF: BOOT_MODE[1] = 0
ON: Serial Downloader OFF: Internal Boot	S1-3	ON: BOOT_MODE[0] = 1 OFF: BOOT_MODE[0] = 0
ON: UART1 RS485 OFF: UART1 RS232	S1-4	ON: UART1 RS485 OFF: UART1 RS232
Not Used	S1-5	ON: USB OTG Port OFF: USB HUB
ON: UART4 connected to Expansion Connector OFF: UART4 connected to FTDI	S1-6	ON: Baseboard Bootmode OFF: SOM Default Bootmode

Sequencing Details

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.



POR Delay [90ms]



PHYTEC

PHYTEC Messtechnik GmbH
Robert-Koch-Strasse 39
D-55129 Mainz

Project:
PBA-CD-15 phyBOARD Polis i.MX8M Mini

Department : F&E
Author: T.Jacobus, T. Metz, A. Merrath

08.07.2021

PCB-No.: 1532.2

Revision : 001

Sheet 8 of 21

Bootmode Configuration for i.MX 8M Mini


Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.

BOOT_CFG	[14]	[13]	[12]	[11]	[10]	[9]	[8]	[7]	[6]	[5]	[4]	[3]	[2]	[1]	[0]
Default/ eMMC	0	1	0	1	0	1	0	0	1	0	1	0	1	1	0
Overwrite/ SD-Card	0	0	1	0	1	0	x	0	x	x	1	0	0	0	x
Overwrite/ QSPI	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Jumper QSPI				J8			J7					J6	J5	J4	J3

These Parts are only mounted with a i.MX 8M Mini SOM

Boot-Type

S1-4:
OFF: Serial Downloader
ON: Internal Boot




BOOT_MODE[1:0]	BOOT TYPE
00	Boot from fuses
01	Serial Downloader
10	Internal Boot (GPIO overwrite)
11	Reserved

SOM Default: Internal Boot [10]

Boot-Source

S1-1:
ON = Alternate Boot
OFF = eMMC
S1-2:
Alternate Boot Source
ON = QSPI Boot
OFF = SD Boot



PHYTEC

PHYTEC Messtechnik GmbH
Robert-Koch-Strasse 39
D-55129 Mainz

Project:
PBA-CD-15 phyBOARD Polis i.MX8M Mini

Department: F&E
Author: T. Jacobus, T. Metz, A. Merrath

08.07.2021

PCB-No.: 1532.2

Revision: 001

Sheet 9 of 21

Bootmode Configuration for i.MX 8M Nano

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.


Switch-Setting ON = 1 OFF = 0 →			S1-1	S1-2	S1-3
Bootmode Options i.MX 8M Nano		X_TEST_MODE	X_JTAG_TRST_B	X_BOOT_MODE1	X_BOOT_MODE0
Boot-Source	MODE [Nr.] →	[3]	[2]	[1]	[0]
↓ Fuses		0	0	0	0
USB Serial Download		0	0	0	1
USDHC3 (eMMC)		0	0	1	0
USDHC2 (SD)		0	0	1	1
FlexSPI 3B Read		0	1	1	0

Bootmode setting via S1

S1-6 = "ON": Baseboard Bootmode

S1-6 = "OFF": SOM Default Bootmode

These Parts are only mounted with a i.MX 8M Nano SOM



PHYTEC

PHYTEC Messtechnik GmbH
Robert-Koch-Strasse 39
D-55129 Mainz

Project:
PBA-CD-15 phyBOARD Polis i.MX8M Mini

Department : F&E
Author: T.Jacobus, T. Metz, A. Merrath


08.07.2021

PCB-No.: 1532.2


Revision : 001

Sheet 10 of 21


RGB LED



Reset Button ONOFF Button




uSD-Card Connector




PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-CD-15 phyBOARD Polis i.MX8M Mini		Department : F&E Author: T.Jacobus, T. Metz, A. Merrath	
08.07.2021	PCB-No.: 1532.2	Revision : 001	Sheet 11 of 21


UART1 Multiplexer, RTS/CTS-Jumper




RS232/ RS485 Connector



RS232 Transceiver




RS485 Transceiver



PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-CD-15 phyBOARD Polis i.MX8M Mini		Department : F&E Author: T.Jacobus, T. Metz, A. Merrath	
08.07.2021	PCB-No.: 1532.2	Revision : 001	Sheet 12 of 21

USB-HUB

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.



PHYTEC

PHYTEC Messtechnik GmbH
Robert-Koch-Strasse 39
D-55129 Mainz

Project: PBA-CD-15 phyBOARD Polis i.MX8M Mini

Department : F&E
Author: T.Jacobus, T. Metz, A. Merrath


08.07.2021

PCB-No.:	1532.2
----------	--------

Revision : 001


Sheet 13 of 21

miniPCle Connector




TX-Caps placed at SOM

miniPCle/Exp. 1V5 Supply



Power needed:
MAX = 375 mA
MAX PEAK = 500 mA

ENET Gbit-Connector





Label: ETH0

PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-CD-15 phyBOARD Polis i.MX8M Mini		Department : F&E Author: T. Jacobus, T. Metz, A. Merrath	
08.07.2021	PCB-No.: 1532.2	Revision : 001	Sheet 15 of 21

Expansion Connector

Audio/Video-Connector



Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.




place capacitors along the trace

PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-CD-15 phyBOARD Polis i.MX8M Mini		Department : F&E Author: T. Jacobus, T. Metz, A. Merrath	
08.07.2021	PCB-No.: 1532.2	Revision : 001	Sheet 16 of 21

CSI1/CAM1
phyCAM-M



VOICE ARRAY CONNECTOR



This Connector is only mounted with a i.MX 8M Mini SOM

PHYTEC

PHYTEC Messtechnik GmbH
Robert-Koch-Strasse 39
D-55129 Mainz

Project: PBA-CD-15 phyBOARD Polis i.MX8M Mini

Department : F&E
Author: T.Jacobus, T. Metz, A. Merrath


08.07.2021

PCB-No.: 1532.2

Revision : 001

Sheet 17 of 21

Debug FTDI



Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.

Label: Debug-USB

Label D34:
FTDI Enabled

PHYTEC

PHYTEC Messtechnik GmbH
Robert-Koch-Strasse 39
D-55129 Mainz

Project: PBA-CD-15 phyBOARD Polis i.MX8M Mini

Department : F&E
Author: T.Jacobus, T. Metz, A. Merrath

08.07.2021


PCB-No.:	1532.2
----------	--------

Revision : 001


Sheet 18 of 21

TPM

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.



WLAN



PHYTEC

PHYTEC Messtechnik GmbH
Robert-Koch-Strasse 39
D-55129 Mainz

Project:
PBA-CD-15 phyBOARD Polis i.MX8M Mini

Department : F&E
Author: T.Jacobus, T. Metz, A. Merrath

08.07.2021


PCB-No.: 1532.2

Revision : 001

Sheet 19 of 21

CAN FD


Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.



PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-CD-15 phyBOARD Polis i.MX8M Mini		Department : F&E Author: T.Jacobus, T. Metz, A. Merrath	
08.07.2021	PCB-No.: 1532.2	Revision : 001	Sheet 20 of 21

Capacitors

Confidential information and property of PHYTEC Messtechnik GmbH.
No part of these materials may be copied, used or disclosed except
with written permission of PHYTEC Messtechnik GmbH.



PHYTEC		PHYTEC Messtechnik GmbH Robert-Koch-Strasse 39 D-55129 Mainz	
Project: PBA-CD-15 phyBOARD Polis i.MX8M Mini		Department : F&E Author: T.Jacobus, T. Metz, A. Merrath	
08.07.2021	PCB-No.: 1532.2	Revision : 001	Sheet 21 of 21